



Product certificate K21775/08

Issued 2023-02-01

Replaces K21775/07

Page 1 of 7

Stainless steel press fittings

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

SANHA GmbH & Co. KG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K774 "Compression fittings to tighten with matching clamping device" dated 02-10-2019.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28/11/0711

Kiwa Nederland B.V.

Sir Winston Churchillaan 273

Postbus 70

2280 AB RIJSWIJK

The Netherlands

Tel. +31 88 998 44 00

Fax +31 88 998 44 20

info@kiwa.nl

www.kiwa.nl

Company

SANHA GmbH & Co. KG

Hauptstraße 76

01909 GROßHARTHAU-SCHMIEDEFELD

Germany

Tel. 49 (0)35954 / 589-0

Info+ sanha.com

www.sanha.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Stainless steel press fittings

PRODUCT SPECIFICATION

The products mentioned below belong to this product certificate

Fitting number	Description	Size			
			69002MG3434	NiroSan-Press Bend 90° AG + F-nut	3/4x3/4
69001A15	NiroSan-Press Bend 90° 1M	15	69002MG11	NiroSan-Press Bend 90° AG + F-nut	1x1
69001A18	NiroSan-Press Bend 90° 1M	18	6900315	NiroSan-Press Bend with plain ends 90°	15
69001A22	NiroSan-Press Bend 90° 1M	22	6900318	NiroSan-Press Bend with plain ends 90°	18
69001A28	NiroSan-Press Bend 90° 1M	28	6900322	NiroSan-Press Bend with plain ends 90°	22
69001A35	NiroSan-Press Bend 90° 1M	35	6900328	NiroSan-Press Bend with plain ends 90°	28
69001A42	NiroSan-Press Bend 90° 1M	42	6900335	NiroSan-Press Bend with plain ends 90°	35
69001A54	NiroSan-Press Bend 90° 1M	54	6900342	NiroSan-Press Bend with plain ends 90°	42
69001A64	NiroSan-Press Bend 90° 1M	64	6900354	NiroSan-Press Bend with plain ends 90°	54
69001A76	NiroSan-Press Bend 90° 1M	76,1	69003G1812	NiroSan-Press Bend with plain ends 90° IG	18x1/2
69001A89	NiroSan-Press Bend 90° 1M	88,9	690052850034	Pipe element with flare for melting water line	28x500x3/4
69001A108	NiroSan-Press Bend 90° 1M	108,0	6904015	NiroSan-Press Bend 45° 1M	15
69001L15	NiroSan-Press Bend 90° 1M, long	15	6904018	NiroSan-Press Bend 45° 1M	18
69001L18	NiroSan-Press Bend 90° 1M, long	18	6904022	NiroSan-Press Bend 45° 1M	22
69001L22	NiroSan-Press Bend 90° 1M, long	22	6904028	NiroSan-Press Bend 45° 1M	28
69001L28	NiroSan-Press Bend 90° 1M, long	28	6904035	NiroSan-Press Bend 45° 1M	35
69001L35	NiroSan-Press Bend 90° 1M, long	35	6904042	NiroSan-Press Bend 45° 1M	42
69001L42	NiroSan-Press Bend 90° 1M, long	42	6904054	NiroSan-Press Bend 45° 1M	54
69001L54	NiroSan-Press Bend 90° 1M, long	54	6904064	NiroSan-Press Bend 45° 1M	64
69002A15	NiroSan-Press Bend 90° 2M	15	6904076	NiroSan-Press Bend 45° 1M	76,1
69002A18	NiroSan-Press Bend 90° 2M	18	6904089	NiroSan-Press Bend 45° 1M	88,9
69002A22	NiroSan-Press Bend 90° 2M	22	69040108	NiroSan-Press Bend 45° 1M	108,0
69002A28	NiroSan-Press Bend 90° 2M	28	6904115	NiroSan-Press Bend 45° 2M	15
69002A35	NiroSan-Press Bend 90° 2M	35	6904118	NiroSan-Press Bend 45° 2M	18
69002A42	NiroSan-Press Bend 90° 2M	42	6904122	NiroSan-Press Bend 45° 2M	22
69002A54	NiroSan-Press Bend 90° 2M	54	6904128	NiroSan-Press Bend 45° 2M	28
69002A64	NiroSan-Press Bend 90° 2M	64	6904135	NiroSan-Press Bend 45° 2M	35
69002A76	NiroSan-Press Bend 90° 2M	76,1	6904142	NiroSan-Press Bend 45° 2M	42
69002A89	NiroSan-Press Bend 90° 2M	88,9	6904154	NiroSan-Press Bend 45° 2M	54
69002A108	NiroSan-Press Bend 90° 2M	108,0	6904164	NiroSan-Press Bend 45° 2M	64
69002AG1512	NiroSan-Press Bend 90° 1M + AG	15x1/2	6904176	NiroSan-Press Bend 45° 2M	76,1
69002AG1812	NiroSan-Press Bend 90° 1M + AG	18x1/2	6904189	NiroSan-Press Bend 45° 2M	88,9
69002AG1834	NiroSan-Press Bend 90° 1M + AG	18x3/4	69041108	NiroSan-Press Bend 45° 2M	108,0
69002AG2234	NiroSan-Press Bend 90° 1M + AG	22x3/4	6904215	NiroSan-Press Bend with plain ends 45°	15
69002AG281	NiroSan-Press Bend 90° 1M + AG	28x1	6904218	NiroSan-Press Bend with plain ends 45°	18
69002AG35114	NiroSan-Press Bend 90° 1M + AG	35x11/4	6904222	NiroSan-Press Bend with plain ends 45°	22
69002AG42112	NiroSan-Press Bend 90° 1M + AG	42x11/2	6904228	NiroSan-Press Bend with plain ends 45°	28
69002AG542	NiroSan-Press Bend 90° 1M + AG	54x2	6904235	NiroSan-Press Bend with plain ends 45°	35
69002G1512	NiroSan-Press Bend 90° 1M + IG	15x1/2	6904242	NiroSan-Press Bend with plain ends 45°	42
69002G1812	NiroSan-Press Bend 90° 1M + IG	18x1/2	6904315	NiroSan-Press Bend with plain ends 15°	15
69002G1834	NiroSan-Press Bend 90° 1M + IG	18x3/4	6904318	NiroSan-Press Bend with plain ends 15°	18
69002G2234	NiroSan-Press Bend 90° 1M + IG	22x3/4	6904322	NiroSan-Press Bend with plain ends 15°	22
69002G281	NiroSan-Press Bend 90° 1M + IG	28x1	6904328	NiroSan-Press Bend with plain ends 15°	28
69002G35114	NiroSan-Press Bend 90° 1M + IG	35x11/4	6904335	NiroSan-Press Bend with plain ends 15°	35
69002M1534	NiroSan-Press Bend 90° 1M + F-nut	15x3/4	6904354	NiroSan-Press Bend with plain ends 15°	54
69002M1834	NiroSan-Press Bend 90° 1M + F-nut	18x3/4			
69002M221	NiroSan-Press Bend 90° 1M + F-nut	22x1			
69002M28114	NiroSan-Press Bend 90° 1M + F-nut	28x11/4			

Stainless steel press fittings

6904376	NiroSan-Press Bend with plain ends 15°	76,1	6909022	NiroSan-Press Elbow 90° 2M	22
69043108	NiroSan-Press Bend with plain ends 15°	108,0	6909028	NiroSan-Press Elbow 90° 2M	28
6904415	NiroSan-Press Bend with plain ends 30°	15	69090IG1512	NiroSan-Press Elbow 90° 1M + IG	15x1/2
6904418	NiroSan-Press Bend with plain ends 30°	18	69090IG1834	NiroSan-Press Elbow 90° 1M + IG	18x3/4
6904422	NiroSan-Press Bend with plain ends 30°	22	69090IG2234	NiroSan-Press Elbow 90° 1M + IG	22x3/4
6904428	NiroSan-Press Bend with plain ends 30°	28	69090IG2812	NiroSan-Press Elbow 90° 1M + IG	28x1/2
6904435	NiroSan-Press Bend with plain ends 30°	35	69090IG2834	NiroSan-Press Elbow 90° 1M + IG	28x3/4
6904454	NiroSan-Press Bend with plain ends 30°	54	69090IG281	NiroSan-Press Elbow 90° 1M + IG	28x1
6904476	NiroSan-Press Bend with plain ends 30°	76,1	69090IG3512	NiroSan-Press Elbow 90° 1M + IG	35x1/2
6904489	NiroSan-Press Bend with plain ends 30°	88,9	69090IG3534	NiroSan-Press Elbow 90° 1M + IG	35x3/4
69044108	NiroSan-Press Bend with plain ends 30°	108,0	69090IG35114	NiroSan-Press Elbow 90° 1M + IG	35x11/4
6904515	NiroSan-Press Bend with plain ends 75°	15	69092AG1512	NiroSan-Press Elbow 90° 1M + AG	15x1/2
6904518	NiroSan-Press Bend with plain ends 75°	18	69092AG1812	NiroSan-Press Elbow 90° 1M + AG	18x1/2
6904522	NiroSan-Press Bend with plain ends 75°	22	69092AG1834	NiroSan-Press Elbow 90° 1M + AG	18x3/4
6904528	NiroSan-Press Bend with plain ends 75°	28	69092AG2234	NiroSan-Press Elbow 90° 1M + AG	22x3/4
6904535	NiroSan-Press Bend with plain ends 75°	35	69092AG281	NiroSan-Press Elbow 90° 1M + AG	28x1
6904542	NiroSan-Press Bend with plain ends 75°	42	69092AG35114	NiroSan-Press Elbow 90° 1M + AG	35x11/4
6904554	NiroSan-Press Bend with plain ends 75°	54	69092AG42112	NiroSan-Press Elbow 90° 1M + AG	42x11/2
6905015	NiroSan-Press Fitting with minimum pipe length	15	69092AG542	NiroSan-Press Elbow 90° 1M + AG	54x2
6905018	NiroSan-Press Fitting with minimum pipe length	18	6913015	NiroSan-Press Tee 3M	15
6905022	NiroSan-Press Fitting with minimum pipe length	22	6913018	NiroSan-Press Tee 3M	18
6905028	NiroSan-Press Fitting with minimum pipe length	28	6913022	NiroSan-Press Tee 3M	22
6905035	NiroSan-Press Fitting with minimum pipe length	35	6913028	NiroSan-Press Tee 3M	28
6905042	NiroSan-Press Fitting with minimum pipe length	42	6913035	NiroSan-Press Tee 3M	35
6905054	NiroSan-Press Fitting with minimum pipe length	54	6913042	NiroSan-Press Tee 3M	42
6905064	NiroSan-Press Fitting with minimum pipe length	64	6913054	NiroSan-Press Tee 3M	54
6905076	NiroSan-Press Fitting with minimum pipe length	76	6913064	NiroSan-Press Tee 3M	64
69050108	NiroSan-Press Fitting with minimum pipe length	108	6913076	NiroSan-Press Tee 3M	76,1
6905815	NiroSan-Press Bend with plain ends 60°	15	6913089	NiroSan-Press Tee 3M	88,9
6905818	NiroSan-Press Bend with plain ends 60°	18	69130108	NiroSan-Press Tee 3M	108,0
6905822	NiroSan-Press Bend with plain ends 60°	22	69130181515	NiroSan-Press Tee 3M	18x15x15
6905828	NiroSan-Press Bend with plain ends 60°	28	69130181518	NiroSan-Press Tee 3M	18x15x18
6905842	NiroSan-Press Bend with plain ends 60°	42	69130221515	NiroSan-Press Tee 3M	22x15x15
6905854	NiroSan-Press Bend with plain ends 60°	54	69130221522	NiroSan-Press Tee 3M	22x15x22
6905876	NiroSan-Press Bend with plain ends 60°	76,1	69130221818	NiroSan-Press Tee 3M	22x18x18
6905889	NiroSan-Press Bend with plain ends 60°	88,9	69130221822	NiroSan-Press Tee 3M	22x18x22
69058108	NiroSan-Press Bend with plain ends 60°	108,0	69130281528	NiroSan-Press Tee 3M	28x15x28
6908515	NiroSan-Press Full crossover 2M	15	69130281828	NiroSan-Press Tee 3M	28x18x28
6908518	NiroSan-Press Full crossover 2M	18	69130282222	NiroSan-Press Tee 3M	28x22x22
6908522	NiroSan-Press Full crossover 2M	22	69130282228	NiroSan-Press Tee 3M	28x22x28
6908528	NiroSan-Press Full crossover 2M	28	69130351535	NiroSan-Press Tee 3M	35x15x35
6908715	NiroSan-Press Pipe bridge	15	69130351835	NiroSan-Press Tee 3M	35x18x35
6908718	NiroSan-Press Pipe bridge	18	69130352235	NiroSan-Press Tee 3M	35x22x35
6908722	NiroSan-Press Pipe bridge	22	69130352835	NiroSan-Press Tee 3M	35x28x35
6908728	NiroSan-Press Pipe bridge	28	69130421842	NiroSan-Press Tee 3M	42x18x42
			69130422242	NiroSan-Press Tee 3M	42x22x42
			69130422842	NiroSan-Press Tee 3M	42x28x42
			69130423542	NiroSan-Press Tee 3M	42x35x42
			69130542254	NiroSan-Press Tee 3M	54x22x54
			69130542854	NiroSan-Press Tee 3M	54x28x54

Stainless steel press fittings

69130543554	NiroSan-Press Tee 3M	54x35x54	69130G89289	NiroSan-Press Tee, 2M + IG	88,9x2x88,9
69130544254	NiroSan-Press Tee 3M	54x42x54	69130G10834108	NiroSan-Press Tee, 2M + IG	108,0x3/4x108,0
69130642264	NiroSan-Press Tee 3M	64x22x64	69130G1082108	NiroSan-Press Tee, 2M + IG	108,0x2x108,0
69130642864	NiroSan-Press Tee 3M	64x28x64	692401815	NiroSan-Press Reducing coupling	18x15
69130643564	NiroSan-Press Tee 3M	64x35x64	692402215	NiroSan-Press Reducing coupling	22x15
69130644264	NiroSan-Press Tee 3M	64x42x64	692402218	NiroSan-Press Reducing coupling	22x18
69130645464	NiroSan-Press Tee 3M	64x54x64	692402822	NiroSan-Press Reducing coupling	28x22
69130762276	NiroSan-Press Tee 3M	76,1x22x76,1	692431815	NiroSan-Press Fitting reducer	18ax15
69130762876	NiroSan-Press Tee 3M	76,1x28x76,1	692432215	NiroSan-Press Fitting reducer	22ax15
69130763576	NiroSan-Press Tee 3M	76,1x35x76,1	692432218	NiroSan-Press Fitting reducer	22ax18
69130764276	NiroSan-Press Tee 3M	76,1x42x76,1	692432815	NiroSan-Press Fitting reducer	28ax15
69130765476	NiroSan-Press Tee 3M	76,1x54x76,1	692432818	NiroSan-Press Fitting reducer	28ax18
69130766476	NiroSan-Press Tee 3M	76,1x64x76,1	692432822	NiroSan-Press Fitting reducer	28ax22
69130892289	NiroSan-Press Tee 3M	88,9x22x88,9	692433518	NiroSan-Press Fitting reducer	35ax18
69130892889	NiroSan-Press Tee 3M	88,9x28x88,9	692433522	NiroSan-Press Fitting reducer	35ax22
69130893589	NiroSan-Press Tee 3M	88,9x35x88,9	692433528	NiroSan-Press Fitting reducer	35ax28
69130894289	NiroSan-Press Tee 3M	88,9x42x88,9	692434222	NiroSan-Press Fitting reducer	42ax22
69130895489	NiroSan-Press Tee 3M	88,9x54x88,9	692434228	NiroSan-Press Fitting reducer	42ax28
69130896489	NiroSan-Press Tee 3M	88,9x64x88,9	692434235	NiroSan-Press Fitting reducer	42ax35
69130897689	NiroSan-Press Tee 3M	88,9x76,1x88,9	692435428	NiroSan-Press Fitting reducer	54ax28
6913010822108	NiroSan-Press Tee 3M	108,0x22x108,0	692435435	NiroSan-Press Fitting reducer	54ax35
6913010828108	NiroSan-Press Tee 3M	108,0x28x108,0	692435442	NiroSan-Press Fitting reducer	54ax42
6913010835108	NiroSan-Press Tee 3M	108,0x35x108,0	692436442	NiroSan-Press Fitting reducer	64ax42
6913010842108	NiroSan-Press Tee 3M	108,0x42x108,0	692436454	NiroSan-Press Fitting reducer	64ax54
6913010854108	NiroSan-Press Tee 3M	108,0x54x108,0	692437654	NiroSan-Press Fitting reducer	76,1ax54
6913010864108	NiroSan-Press Tee 3M	108,0x64x108,0	692437664	NiroSan-Press Fitting reducer	76,1ax64
6913010876108	NiroSan-Press Tee 3M	108,0x76,1x108,0	692438954	NiroSan-Press Fitting reducer	88,9ax54
6913010889108	NiroSan-Press Tee 3M	108,0x88,9x108,0	692438964	NiroSan-Press Fitting reducer	88,9ax64
69130G151215	NiroSan-Press Tee, 2M + IG	15x1/2x15	692438976	NiroSan-Press Fitting reducer	88,9ax76,1
69130G181218	NiroSan-Press Tee, 2M + IG	18x1/2x18	6924310854	NiroSan-Press Fitting reducer	108,0ax54
69130G183418	NiroSan-Press Tee, 2M + IG	18x3/4x18	6924310864	NiroSan-Press Fitting reducer	108,0ax64
69130G221222	NiroSan-Press Tee, 2M + IG	22x1/2x22	6924310876	NiroSan-Press Fitting reducer	108,0ax76,1
69130G223422	NiroSan-Press Tee, 2M + IG	22x3/4x22	6924310889	NiroSan-Press Fitting reducer	108,0ax88,9
69130G281228	NiroSan-Press Tee, 2M + IG	28x1/2x28	69243G1538	NiroSan-Press Male adaptor	15x3/8
69130G283428	NiroSan-Press Tee, 2M + IG	28x3/4x28	69243G1512	NiroSan-Press Male adaptor	15x1/2
69130G28128	NiroSan-Press Tee, 2M + IG	28x1x28	69243G1534	NiroSan-Press Male adaptor	15x3/4
69130G351235	NiroSan-Press Tee, 2M + IG	35x1/2x35	69243G1812	NiroSan-Press Male adaptor	18x1/2
69130G353435	NiroSan-Press Tee, 2M + IG	35x3/4x35	69243G1834	NiroSan-Press Male adaptor	18x3/4
69130G3511435	NiroSan-Press Tee, 2M + IG	35x11/4x35	69243G2212	NiroSan-Press Male adaptor	22x1/2
69130G421242	NiroSan-Press Tee, 2M + IG	42x1/2x42	69243G2234	NiroSan-Press Male adaptor	22x3/4
69130G423442	NiroSan-Press Tee, 2M + IG	42x3/4x42	69243G221	NiroSan-Press Male adaptor	22x1
69130G4211242	NiroSan-Press Tee, 2M + IG	42x11/2x42	69243G2834	NiroSan-Press Male adaptor	28x3/4
69130G541254	NiroSan-Press Tee, 2M + IG	54x1/2x54	69243G281	NiroSan-Press Male adaptor	28x1
69130G543454	NiroSan-Press Tee, 2M + IG	54x3/4x54	69243G351	NiroSan-Press Male adaptor	35x1
69130G54254	NiroSan-Press Tee, 2M + IG	54x2x54	69243G35114	NiroSan-Press Male adaptor	35x11/4
69130G763476	NiroSan-Press Tee, 2M + IG	76,1x3/4x76,1	69243G42112	NiroSan-Press Male adaptor	42x11/2
69130G76276	NiroSan-Press Tee, 2M + IG	76,1x2x76,1	69243G542	NiroSan-Press Male adaptor	54x2
69130G893489	NiroSan-Press Tee, 2M + IG	88,9x3/4x88,9	69243G64212	NiroSan-Press Male adaptor	64x21/2
			69243G76212	NiroSan-Press Male adaptor	76,1x21/2

Stainless steel press fittings

69243G893	NiroSan-Press Male adaptor	88,9x3	6928012	NiroSan-Press Double nipple	1/2
69243G1084	NiroSan-Press Male adaptor	108,0x4	6928034	NiroSan-Press Double nipple	3/4
69246G1512	NiroSan-Press Female adaptor	15ax1/2	692801	NiroSan-Press Double nipple	1
69246G1812	NiroSan-Press Female adaptor	18ax1/2	69280G1512	NiroSan-Press Male adaptor	15ax1/2
69246G1834	NiroSan-Press Female adaptor	18ax3/4	69280G1812	NiroSan-Press Male adaptor	18ax1/2
69246G2212	NiroSan-Press Female adaptor	22ax1/2	69280G1834	NiroSan-Press Male adaptor	18ax3/4
69246G2234	NiroSan-Press Female adaptor	22ax3/4	69280G2212	NiroSan-Press Male adaptor	22ax1/2
69246G2834	NiroSan-Press Female adaptor	28ax3/4	69280G2234	NiroSan-Press Male adaptor	22ax3/4
6925028337	NiroSan-Press Transition Press/Nut	28x33,7	69280G281	NiroSan-Press Male adaptor	28ax1
6925035424	NiroSan-Press Transition Press/Nut	35x42,4	6930115	NiroSan-Press End cap	15
6925042483	NiroSan-Press Transition Press/Nut	42x48,3	6930118	NiroSan-Press End cap	18
6925054603	NiroSan-Press Transition Press/Nut	54x60,3	6930122	NiroSan-Press End cap	22
69250761761	NiroSan-Press Transition Press/Nut	76,1x76,1	6930128	NiroSan-Press End cap	28
69250889889	NiroSan-Press Transition Press/Nut	88,9x88,9	6930135	NiroSan-Press End cap	35
69250108114	NiroSan-Press Transition Press/Nut	108x114	6930142	NiroSan-Press End cap	42
6927015	NiroSan-Press Coupling	15	6930154	NiroSan-Press End cap	54
6927018	NiroSan-Press Coupling	18	6933015	NiroSan-Press Union, flat sealing	15
6927022	NiroSan-Press Coupling	22	6933018	NiroSan-Press Union, flat sealing	18
6927028	NiroSan-Press Coupling	28	6933022	NiroSan-Press Union, flat sealing	22
6927035	NiroSan-Press Coupling	35	6933028	NiroSan-Press Union, flat sealing	28
6927042	NiroSan-Press Coupling	42	6933035	NiroSan-Press Union, flat sealing	35
6927054	NiroSan-Press Coupling	54	6933042	NiroSan-Press Union, flat sealing	42
6927064	NiroSan-Press Coupling	64	6933054	NiroSan-Press Union, flat sealing	54
6927076	NiroSan-Press Coupling	76,1	69330G1512	NiroSan-Press Union F/F-thread,flat sealing	15x1/2
6927089	NiroSan-Press Coupling	88,9	69330G1534	NiroSan-Press Union F/F-thread,flat sealing	15x3/4
69270108	NiroSan-Press Coupling	108,0	69330G1834	NiroSan-Press Union F/F-thread,flat sealing	18x3/4
69270F1512	NiroSan-Press Adaptor with twist guard	15x1/2	69330G2234	NiroSan-Press Union F/F-thread,flat sealing	22x3/4
69270G1512	NiroSan-Press Female adaptor	15x1/2	69330G221	NiroSan-Press Union F/F-thread,flat sealing	22x1
69270G1534	NiroSan-Press Female adaptor	15x3/4	69330G2834	NiroSan-Press Union F/F-thread,flat sealing	28x3/4
69270G1812	NiroSan-Press Female adaptor	18x1/2	69330G281	NiroSan-Press Union F/F-thread,flat sealing	28x1
69270G1834	NiroSan-Press Female adaptor	18x3/4	69330G35114	NiroSan-Press Union F/F-thread,flat sealing	35x11/4
69270G2212	NiroSan-Press Female adaptor	22x1/2	69330G42112	NiroSan-Press Union F/F-thread,flat sealing	42x11/2
69270G2234	NiroSan-Press Female adaptor	22x3/4	69330G542	NiroSan-Press Union F/F-thread,flat sealing	54x2
69270G221	NiroSan-Press Female adaptor	22x1	69330GMVA1512	NiroSan-Press Union F/F-thread,flat sealing	15x1/2
69270G2834	NiroSan-Press Female adaptor	28x3/4	69330GMVA1534	NiroSan-Press Union F/F-thread,flat sealing	15x3/4
69270G281	NiroSan-Press Female adaptor	28x1	69330GMVA1834	NiroSan-Press Union F/F-thread,flat sealing	18x3/4
69270G35114	NiroSan-Press Female adaptor	35x11/4	69330GMVA2234	NiroSan-Press Union F/F-thread,flat sealing	22x3/4
69270G42112	NiroSan-Press Female adaptor	42x11/2	69330GMVA221	NiroSan-Press Union F/F-thread,flat sealing	22x1
69270G542	NiroSan-Press Female adaptor	54x2	69330GMVA2834	NiroSan-Press Union F/F-thread,flat sealing	28x3/4
69270S15	NiroSan-Press Slip coupling	15	69330GMVA281	NiroSan-Press Union F/F-thread,flat sealing	28x1
69270S18	NiroSan-Press Slip coupling	18	69330GMVA35114	NiroSan-Press Union F/F-thread,flat sealing	35x11/4
69270S22	NiroSan-Press Slip coupling	22	69330GMVA42112	NiroSan-Press Union F/F-thread,flat sealing	42x11/2
69270S28	NiroSan-Press Slip coupling	28	69330GMVA542	NiroSan-Press Union F/F-thread,flat sealing	54x2
69270S35	NiroSan-Press Slip coupling	35	69333G1512	NiroSan-Press Union F/M-thread, flat sealing	15x1/2
69270S42	NiroSan-Press Slip coupling	42	69333G1534	NiroSan-Press Union F/M-thread, flat sealing	15x3/4
69270S54	NiroSan-Press Slip coupling	54	69333G2234	NiroSan-Press Union F/M-thread, flat sealing	22x3/4
69270S64	NiroSan-Press Slip coupling	64			
69270S76	NiroSan-Press Slip coupling	76,1			
69270S89	NiroSan-Press Slip coupling	88,9			
69270S108	NiroSan-Press Slip coupling	108,0			

Stainless steel press fittings

69333G1812	NiroSan-Press Union F/M-thread, flat sealing	18x1/2	69370G1212	NiroSan-Press Double nipple	1/2x1/2
69333G281	NiroSan-Press Union F/M-thread, flat sealing	28x1	69370G3434	NiroSan-Press Double nipple	3/4x3/4
69333G35114	NiroSan-Press Union F/M-thread, flat sealing	35x11/4	69370G11	NiroSan-Press Double nipple	1x1
69333G42112	NiroSan-Press Union F/M-thread, flat sealing	42x11/2	694711512	NiroSan-Press Wall plate, elbow	15x1/2
69333G542	NiroSan-Press Union F/M-thread, flat sealing	54x2	69472G1512	NiroSan-Press Ceiling elbow F/F-thread	15x1/2
69333GMVA1512	NiroSan-Press Union F/M-thread, flat sealing	15x1/2	69472G1812	NiroSan-Press Ceiling elbow F/F-thread	18x1/2
69333GMVA1534	NiroSan-Press Union F/M-thread, flat sealing	15x3/4	69472G2234	NiroSan-Press Ceiling elbow F/F-thread	22x3/4
69333GMVA1812	NiroSan-Press Union F/M-thread, flat sealing	18x1/2	69472G281	NiroSan-Press Ceiling elbow F/F-thread	28x1
69333GMVA2234	NiroSan-Press Union F/M-thread, flat sealing	22x3/4	69478G151512	NiroSan-Press Ceiling elbow F/F-thread	15x15x1/2
69333GMVA281	NiroSan-Press Union F/M-thread, flat sealing	28x1	6987215	NiroSan-Press Expansion joint	15
69333GMVA35114	NiroSan-Press Union F/M-thread, flat sealing	35x11/4	6987218	NiroSan-Press Expansion joint	18
69333GMVA42112	NiroSan-Press Union F/M-thread, flat sealing	42x11/2	6987222	NiroSan-Press Expansion joint	22
69333GMVA542	NiroSan-Press Union F/M-thread, flat sealing	54x2	6987228	NiroSan-Press Expansion joint	28
69359M1512	NiroSan-Press Union adaptor, flat sealing	15x1/2	6987235	NiroSan-Press Expansion joint	35
69359M1534	NiroSan-Press Union adaptor, flat sealing	15x3/4	6987242	NiroSan-Press Expansion joint	42
69359M1834	NiroSan-Press Union adaptor, flat sealing	18x3/4	6987254	NiroSan-Press Expansion joint	54
69359M221	NiroSan-Press Union adaptor, flat sealing	22x1	6987264	NiroSan-Press Expansion joint	64
69359M28114	NiroSan-Press Union adaptor, flat sealing	28x11/4	6987276	NiroSan-Press Expansion joint	76,1
69359M35112	NiroSan-Press Union adaptor, flat sealing	35x11/2	6987289	NiroSan-Press Expansion joint	88,9
69359M42134	NiroSan-Press Union adaptor, flat sealing	42x13/4	69872108	NiroSan-Press Expansion joint	108,0
69359M54238	NiroSan-Press Union adaptor, flat sealing	54x23/8	6VAPF15	NiroSan-Press Flange	DN 12 / 15 mm
69359MMS1512	NiroSan-Press Union adaptor, flat sealing, female nut	15x1/2	6VAPF18	NiroSan-Press Flange	DN 15 / 18 mm
69359MMS1534	NiroSan-Press Union adaptor, flat sealing, female nut	15x3/4	6VAPF22	NiroSan-Press Flange	DN 20 / 22 mm
69359MMS1834	NiroSan-Press Union adaptor, flat sealing, female nut	18x3/4	6VAPF28	NiroSan-Press Flange	DN 25 / 28 mm
69359MMS221	NiroSan-Press Union adaptor, flat sealing, female nut	22x1	6VAPF35	NiroSan-Press Flange	DN 32 / 35 mm
69359MMS28114	NiroSan-Press Union adaptor, flat sealing, female nut	28x11/4	6VAPF42	NiroSan-Press Flange	DN 40 / 42 mm
69359MMS35112	NiroSan-Press Union adaptor, flat sealing, female nut	35x11/2	6VAPF54	NiroSan-Press Flange	DN 50 / 54 mm
69359MMS42134	NiroSan-Press Union adaptor, flat sealing, female nut	42x13/4	6VAPF64	NiroSan-Press Flange	DN 65 / 64 mm
69359MMS54238	NiroSan-Press Union adaptor, flat sealing, female nut	54x23/8	6VAPF76	NiroSan-Press Flange	DN 65 / 76,1 mm
			6VAPF89	NiroSan-Press Flange	DN 80 / 88,9 mm
			6VAPF108	NiroSan-Press Flange	DN 100 / 108,0 mm

Fitness for contact with drinking water

This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).





These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

Stainless steel press fittings


MARKING

The Kiwa®-mark products are marked with the word mark "KIWA ", or, on very small fittings only, the abbreviated word mark  or  or .

The fittings shall be provided with at least the following marks:

- markings as mentioned above;
- manufacturer's name, trade name; product name or logo;
- nominal diameter.

The marking can also be applied on the package. The smallest packaging unit of the fittings (maximum of 20 pieces per package) must be provided with at least the following information:

- the word mark "KIWA ";
- manufacturer's name or trade name;
- nominal diameter.

The package shall be completely sealed and protected against the penetration of moisture.

Method of marking:

- non-erasable;
- visible after assembly.

APPLICATION AND USE

The fittings with compression ends are being used to make tensile connections in drinking water installations with a maximum working pressure of 1000 kPa and a maximum water temperature of 90°C. The connections can be made with stainless steel tubes according to KIWA evaluation guideline BRL-K762.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- SANHA GmbH & Co. KG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.